



Installation Instructions and User Guide

**NEWTEAM DIVA-T
THERMOSTATIC SHOWER PANEL**

**IN THE EVENT OF ANY QUERY PLEASE CONTACT
THE NEWTEAM CUSTOMER HELPLINE**

Tel : 01536 264 012

NewTeam

**PLEASE KEEP THIS BOOKLET
FOR FUTURE REFERENCE**

**DEAR INSTALLER WHEN YOU HAVE READ THESE INSTRUCTIONS
PLEASE ENSURE YOU LEAVE THEM WITH THE USER**

Diva-T Shower Panel



Installation and Operating Instructions for NewTeam Shower Panel

- Diva-T

Please read this booklet carefully and ensure a competent person undertakes the installation.

Note: Following the headings in sequence will guide you through the installation and operation of your NewTeam Diva-T Shower Panels.

	Pages
PLANNING YOUR INSTALLATION	3
• Plumbing	
FITTING YOUR SHOWER	3 - 5
OPERATING INSTRUCTIONS	6 - 7
REPLACEMENT PARTS	8
GUARANTEE	9

Refer to back cover for Guarantee, Customer Service and Replacement Parts Policy. In the event of any query regarding installation please contact the NewTeam Customer Service Department

Tel: 01536 264 012 • Fax: 01536 409 201

E-mail: service@newteam.co.uk • E-mail: spares@newteam.co.uk

In line with our policy of continual product development the specifications may be varied and product design altered. We reserve the right to depart from the details given in this manual without prior notice.

Plumbing

Minimum operating inlet pressure	0.7 bar (7 metres) running
Optimum operating inlet pressure	1.5 bar - 3 bar
Maximum static inlet pressure	10 bar
Maximum hot water temperature	65°C

We recommend a minimum of 115 litre (25 gallon) hot and cold water storage tanks and compliance with all water regulations.

Non restrictive isolating valves **must** be fitted into inlet supplies.

When connecting to supplies where the minimum operating pressure cannot be achieved, we recommend the installation of a NewTeam shower pump. When fitting a pump to boost the pressure, it is important to comply with the installation instructions supplied with the pump.

If the shower is being operated at the minimum inlet pressure it will only be possible to operate one function at a time.

Ensure the shower is not positioned in an area subject to freezing.

Installation

Decide on the position of your shower panel and select the appropriate set of brackets (flat wall fix - Fig 2, corner fix - Fig 3).

IMPORTANT:

If the shower panel is replacing an existing recessed shower valve it is recommended that the inlet pipework and wall surface are prepared prior to installation.

It is essential that pipework is flushed out prior to connecting the shower panel to remove debris likely to damage the valves.

NewTeam recommend the inlet pipework is positioned centrally around the fixing brackets and terminate at the distance below top bracket as shown, (see Fig 2 and Fig 3). This will reduce the risk of kinking the inlet flexible connectors.

Where pipework entry is from the rear of the panel, it should be aligned with inlet flexible connectors using 90° elbows (see Fig 1A).




Fig 1 - Typical Installation Diagram - NT Diva-T




Fig 1A - 15mm Elbows



Fitting your Shower





Fig 2 - Flat Wall Fix

Fitting your Shower



Diva-T

IMPORTANT:

The shower panel is turned on and off using the $\frac{1}{4}$ turn control knobs (items 4-6, Fig 6, page 8) and **not** the temperature control knob (item 7), as this valve does not shut off.

Select the shower function required and adjust the flow-rate by rotating the control knob.

Allow time for the hot water to reach the shower panel, then set the showering temperature with the temperature control knob.

The hand-held (and overhead on Diva-T) showers can be adjusted through their modes by moving the lever on the outer ring.

Routine maintenance by soaking the 'fully assembled' handset in a proprietary de-scaling agent will maintain optimum showering performance.

The temperature limit stop has been pre-set at approximately 38°C. If a warmer showering temperature is required, depress the red over-ride button and rotate the temperature control knob anti-clockwise.

If the over-ride button has been operated, it is important that it is returned to its original position in order to prevent the next shower user from accidentally selecting hot water at a temperature which is too high.

To suit individual requirements, it is possible to alter the temperature over-ride position from its factory set position, as follows.

Please refer to the following diagrams:

Fig 4. and Fig 4a (to increase temperature), Fig 4b (to decrease temperature). To reassemble the valve, reverse the procedure as outlined in Fig 4.







Fig 4

Operating Instructions

Diagrams 3a (to increase temperature) and 3b (to decrease temperature)



Diva-T




Fig 6 - Replacement Parts

Ref	Part No.	Description
1	SP 076 - 0056	Overhead Assy
2	SP 076 - 0035	Soap Rail
3	SP 076 - 0208	Body Jet Assy
4	SP 076 - 0018 A	Control Knob O'Head
5	SP 076 - 0018 B	Control Knob Body Jet
6	SP 076 - 0018 C	Control Knob Handset
7	SP 076 - 0021	Control Knob Temp
8	SP 076 - 0051**	NewTeam Logo
9	SP 179 - 0100**	Plus Spray Pin Clean Handset
10	SP 1076 - 0031	Hand Shower Holder
11	SP 076 - 0062	Shower Hose
*	SP 076 - 0090	Non Return Valve
*	SP 076 - 0063 - BL	Inlet Hose (Cold) Push Fit
*	SP 076 - 0063 - RD	Inlet Hose (Hot) Push Fit
*	SP 076 - 0057	Quarter Turn On/Off Valve
*	SP 076 - 0172	Thermo. Valve (Brass)

* Not shown ** Please state colour

Guarantee

Thank you for purchasing a NewTeam product, which has been designed, manufactured and tested, in the U.K., to the highest standards.

Guarantee. 1 Year - Parts and Labour

This is provided that:

1. The guarantee registration card is completed and returned within ten days complete with a copy of proof of purchase.
2. The product is installed and operated in accordance with our instructions and has not been misused or damaged.

This in no way affects your statutory rights as a consumer.

The information on the Guarantee card helps NewTeam to process any claims and contact you about your product and its maintenance if required. The registration of your personal details is purely for NewTeam use, and the other information helps us to make products for the future.

NewTeam Shower products are designed, manufactured and tested to the highest standards.

Should a complaint arise, products are guaranteed against faulty workmanship and materials for a period of 12 months from the date of purchase, when in domestic use (second year guarantee is parts only). For your guarantee to be valid, your shower pump must be installed by a competent person, in accordance with the instruction manual.

NewTeam will repair or replace (at our option), free of charge, any faulty components during the guarantee period, provided it has been maintained and operated in accordance with our instructions, and has not been misused or damaged.

Modification or repair of this product by person(s) not authorised by NewTeam will invalidate this guarantee.

This guarantee applies to products purchased within the United Kingdom or Republic of Ireland, but does not apply to products used commercially.

This guarantee does not affect your statutory rights.

Service Policy - Replacement Parts Policy

IMPORTANT:

In the event of product or component malfunction, DO NOT tamper with or remove the product from site. Telephone NewTeam Customer Service Department on 01536 264 012 and be prepared with the date of purchase, model number and a description of the complaint.

Our service staff are fully qualified to advise on correct installation procedures and will be able to diagnose whether the fault will require a replacement part or a visit from a NewTeam engineer.

If required, a service call will be booked, and either yourself or an appointed representative (who should be a person of 18 years or over) must be present during the visit.

All site visits to product within the guarantee period will be carried out free of any parts or labour charges provided the conditions of the guarantee have been adhered to. (Second year guarantee is parts only)

All site visits to product out of guarantee will be subject to charges for parts and labour which is payable by you or your appointed representative at the time of the visit. Charges will also be levied on cancelled appointments, unless advised to NewTeam at least 24 hours in advance of the agreed date and time.

We reserve the right not to undertake work where payment cannot be made to our engineer at the time of the visit.

NewTeam hold stocks of components for all their range of products and these will be maintained for the duration of their life.

Should a product be discontinued, spare parts stocks will be maintained, but in the event of a part becoming unavailable NewTeam reserve the right to supply a substitute of equal quality.

The following payment methods can be used to obtain spare parts:

By post, pre-payment of proforma invoice by cheque or postal order.

By telephone quoting credit card (Mastercard, Visa or Visa Delta) details.

REPLACEMENT PARTS:

Tel: 01536 409 222 • Fax: 01536 409 201 • E-Mail:spares@newteam.co.uk

CUSTOMER SERVICE HOTLINE:

Tel: 01536 264 012 • Fax: 01536 409 201 • E-Mail:service@newteam.co.uk



NewTeam

GUARANTEE CARD

Please post immediately enclosing a copy of proof of purchase

NewTeam Diva-T Shower Panel

Proof of purchase enclosed

YES

NO

FOR NEWTEAM USE

AFFIX PRODUCT LABEL HERE

This label identifies your product and provides all the information needed

NAME:

ADDRESS:

POSTCODE:

DATE OF PURCHASE:

PRODUCT PURCHASED FROM:

TOWN:

NewTeam's philosophy is to offer outstanding products with quality and integrity, please help us by taking the time to answer the following questions. Thank you.

MARKETING INFORMATION

1. Please state your profession: Plumber Builder Electrician Customer
Other (please specify) _____

2. Please state the reason for purchasing a shower: New Build Replacement
Renovation Other (please specify) _____

3. If the product is a replacement shower, please state the type and make of the shower it is replacing: _____

4. What influenced you to purchase the Diva-T Shower Panel? Advertisement
Trade Press Recommendation from Stockist Recommendation from Installer
Other (please specify) _____

5. Please state your main reason for purchasing the Diva-T Shower Panel:
NewTeam Product Knowledge Product Features Product Styling Price
Other (please specify) _____

Please tick here if you do not require any further information or product updates from NewTeam

POST BACK

FOLD AND TAPE AS INSTRUCTED OVERLEAF

Please tape down

Please tape down

3rd Fold

Affix
Stamp



NewTeam Ltd.

Customer Service Dept.
Brunel Road
Earlstrees Industrial Estate
Corby
Northants
NN17 4JW

1st Fold

2nd Fold